




NOVAX-M NOVAX By-Pass



NOVAX 20 M



NOVAX 25 M




NOVAX 30 M



NOVAX 40 M



NOVAX 50 M




NOVAX 20 M By-Pass



NOVAX 25 M By-Pass




"A friendly technology"



COMMUTATORE
ROCKER SWITCH
INTEERRUPTOR PULSADOR
DRUCKKNOPFSCHALTER



NOVAX technology







Code	Model	L/h	ØD mm	HP	W	Hmax(m)	r.p.m.	A x B x H	Kg.	EAN code
790000	NOVAX 20 M	1700	20	0.5	340	25	2850	230x120h190	5	8032706070249
790000	NOVAX 25 M	2400	25	0.6	420	12	1450	250x120h190	6	8032706070256
770000	NOVAX 30 M	5000	30	1.0	650	15	1450	310x150h210	10	8032706070263
750000	NOVAX 40 M	6500	40	1.2	800	15	1450	320x150h210	11	8032706070294
740000	NOVAX 50 M	15000	50	3	2100	25	1450	400x170h240	22	8032706070300
790000 BP	NOVAX 20 By-Pass	800-1700	20	0.5	340	25	2850	230x120h190	5	8032706072694
730000 BP	NOVAX 25 By-Pass	1500-2500	25	0.8	460	20	2850	230x120h190	6	8032706072618

NOVAX-T 400 V - 50 Hz a.c. INOSSIDABILE - INOXDABLE



"Always ready to satisfy"





Code	Model	L/h	ØD mm	HP	W	Hmax(m)	r.p.m.	A x B x H	Kg.	EAN code
280000 CE	NOVAX 25 T	2400	25	0.8	540	25	2850	230x120h190	6	8032706073028
320000	NOVAX 30 T	5000	30	1.0	720	15	1450	300x150h210	10	8032706070508
970000	NOVAX 40 T	6500	40	1.2	800	15	1450	320x150h210	11	8032706070522
980000	NOVAX 50 T	15000	50	3.0	2100	25	1450	400x170h240	22	8032706070539

NOVAX-G INOSSIDABILE - INOXDABLE "Olive oil, liquid soap, you're welcome"




Standard: **INOX** gears
Optional: **PTFE** gears



NOVAX-G 20

COMMUTATORE
ROCKER SWITCH
INTERRUPTOR PULSADOR
DRUCKKNOPFSCHALTER




MARINA NOVAX G 20



Accessorio - Aftermarket
CAVO CON PINZE E FUSIBILI
CABLE WITH PLIERS AND FUSES

code 870035



By-Pass Automatico BE-G
BE-G Automatic By-Pass

code 985035



Code	Model	L / h	ØD mm	HP	Hmax(m)	r.p.m.	A x B x H	Kg.	EAN code
972000	NOVAX G 20 HP 0.6	900	20	0.6	24	1450	230x120h190	6	8032706072373
971000	NOVAX G 20 HP 0.8	1750	20	0.8	24	2850	230x120h190	7	8032706072380
969000	NOVAX MARINA G 20 12V	1450	20	0.6	20	2750	250x120h150	7	8032706072397
968000	NOVAX MARINA G 20 24V	1450	20	0.6	20	2750	250x120h150	7	8032706072403



NOVAX Oil

230 V - 50 Hz a.c.
INOSSIDABILE - INOXDABLE




"Sweet transferring"




NOVAX 10 Oil

PAT.PEND.




NOVAX 14 Oil




NOVAX 25 Oil




NOVAX 30 Oil



NOVAX 50 M



COMMUTATORE
ROCKER SWITCH
INTEGRUPTOR PULSADOR
DRUCKKNOPFSCHALTER



Code	Model	L / h (olive oil - water)	ØD mm	HP	Hmax(m)	r.p.m.	A X B x H	Kg.	EAN code
4200	NOVAX 10 OIL	300 - 420	10	0.4	10	2850	210x120h190	4	8032706071529
800000	NOVAX 14 OIL	600 - 900	14	0.6	10	1450	230x120h190	5	8032706070232
998000	NOVAX 25 OIL	1800 - 2500	25	0.9	12	1450	250x120h190	8	8032706071291
640000	NOVAX 30 OIL	3000 - 5000	30	1.2	15	1450	310x150h210	11	8032706070270
740000	NOVAX 50 M	11000 - 15000	50	3.0	20	1450	400x170h240	22	8032706070300




NOVAX 20 B

"The BEST choice of Home Brewers"

**max
95°C**



COMMUTATORE
ROCKER SWITCH
INTEGRATOR PULSADOR
DRUCKKNOPFSCHALTER



suitable for:
hot wort
hot juice
other hot drinks



NOVAX 20 B



Code	Model	L / h	ØD mm	HP	W	Hmax(m)	r.p.m.	A x B x H	Kg.	EAN code
964000	NOVAX 20 B	1700	20	0.5	340	25	2850	230x120x190	5	8032706072526

The VITON name is a registered trademark of DuPont Performance Elastomers L.L.C..